

Lakeview Community Wellness Center Orthopaedic Connection

Clubfoot

By Thomas J. Haverbush, M.D.
Orthopaedic Surgeon

Transforming patient information into patient understanding.

Clubfoot has to be one of the most discouraging conditions I see as an Orthopaedic Surgeon. I am called to the newborn nursery to find a little newborn with this very serious, classic Orthopaedic problem.

What Is It

As with so many medical conditions people have at least heard the term, but don't actually understand what it is.

The foot is pointed down at the ankle, the foot and heel are tilted inward, the arch is high and the outer part of the foot is twisted in.

What's worse is that these positions of the foot are rigid. Most children are otherwise normal.

Cause

I wish we knew. It can be part of a neuromuscular problem, but most of the time there is no apparent cause. It often affects both feet.

It happens twice as often in boys. If a parent has it, children have a higher chance of being affected.

Symptoms

All four components of the deformity are present to some degree. But different aspects may be present to a greater or lesser degree. If for some reason the condition is not treated, the child walks on the top and lateral or outer aspect of the foot. The child's walk is very awkward as you might expect.

A foot that can be placed in a normal position by manipulation is not a clubfoot. This flexible condition is due to intra-uterine molding and usually resolves without therapy.

A true clubfoot can't be corrected by manipulation.

Tests

In the examination I try to rule out neuromuscular conditions that could also be present. X-rays can be helpful in trying to determine how rigid the deformity is.

Treatment

Manipulation and casting should be started immediately in the newborn nursery.

Two to four months of treatment, changing the cast weekly is required. Then splinting is required for many months to minimize recurrence of deformity.

Surgery is required after 3 to 4 months of treatment if the deformity is not being corrected by the manipulation and casting.

Surgery releases contracted ligaments and tendons so the bones can be in more normal position for development. Casting is required after surgery.

Sadly, recurrence can occur after conservative or surgical treatment.

Outcome

Untreated, there is a severe disability that makes wearing a shoe and even walking difficult. There is a severe psychological aspect also. Treatment if successful results in a foot with a good weight bearing position that allows running and play without pain.

However, even with successful treatment the foot (feet) is not normal.

- Affected foot is smaller and less mobile.
- Foot can be 1 - 1 ½ size smaller.
- Calf muscles are smaller.
- Affected leg is more slender.

Lakeview Area News and Office Website

I sincerely hope all of our readers are taking advantage of an endless amount of Orthopaedic and musculoskeletal information. It is very easy. Log onto the office teaching website www.orthopodsurgeon.com. That gives you access to -

- All the website articles
- Your Orthopaedic Connection articles
- Every Lakeview Community Wellness Center Orthopaedic Connection article appearing in Lakeview Area News from most recent to first. Full text!

Check out this tremendous collection of information.

Orthopaedic Clinic

As I hope most of you know I am at the Lakeview Community Wellness Center every other Friday afternoon seeing patients. All of the Orthopaedic problems I treat can be evaluated there. Clinic dates coming up are December 2 and December 16, 2011.

Call 989-463-6092 for an appointment at the Lakeview Orthopaedic Clinic or at the main office in Alma.

Our goal is simple - To help people return to more pain free, functional lives.

I specialize in you.

Good health. Good life. All the best to you.

Be well.

Dr. Haverbush